

Portable Digital FLOOR SCALES DR400C / DR550C

BATTERY OR AC POWER

Detecto Model DR400C with Low-Profile Platform and Rubber Mat

Capacity 400lb x 0.5lb

181kg x 0.2kg



DETECTO

- 2.2-inch/5.6-cm high, low-profile platform for easy portability
- Coiled cable from scale base allows versatile positioning of indicator
- Slip-resistant rubber mat for traction and patient stability
- 550 lb x 0.2 lb and 400 lb x 0.5 lb models available

- Lightweight, mobile weighing platform for easy transport
- Auto Shut-Off after 2 minutes conserves battery power
- Simple four-key operation is easy to use even for novices
- Pushbutton Tare will zero out the load on the platform
- Pounds and kilograms conversion with Units key

DETECTO

• RS232 serial port on DR400C for EMR/EHR-ready output

DETECTO's model DR400C and DR550C digital portable floor scales will provide you with years of accurate and reliable weighing from the brand you trust in clinical weighing. The scales arrive assembled for use.

The portable lightweight platform and large bold readouts make this scale ideal for mobile clinics, home healthcare nurses, doctor's offices, general purpose use, and home bathroom weighing.

The scale's moveable display lets you place it on a work surface or mounted to the wall, wherever it's most convenient for you to view. An optional black carrying case is available.



DETECTO is the largest medical scale manufacturer in the United States providing clinical-grade accuracy and dependability for over a century.

Detecto Model DR550C with Stainless Steel Low-Profile Platform

.00

The economical DR400C and DR550C are battery powered, so you can take the scales anywhere you need them. The bold LCD is viewable in almost any lighting condition.

DETECTO

0000

DR 550



Battery or AC Power

The DR400C and DR550C come with a UL listed 9V 100mA DC adapter (included) or may be powered by 6 AA batteries (not included) for mobile use.



The DR400C features a RS232 serial port (not included on DR550C).



Portable Digital Floor Scales

| | DR400C | DR550C |
|----------------------------------|--|-------------------------------------|
| Capacity | 400 lb x 0.5 lb / 180 kg x 0.2 kg | 550 lb x 0.2 lb / 250 kg x 0.1 kg |
| Scale Base Platform Dimensions | 11.9 in W x 12.3 in D x 2.2 in H / 30.2 cm W x 31.3 cm D x 5.6 cm H | |
| Weight Indicator Dimensions | 8.8 in W x 3.6 in D x 1.8 in H / 22.2 cm W x 9.2 cm D x 4.4 cm H (minus bracket) | |
| Scale Base Platform Construction | Mild steel with rubberized mat | Stainless steel with rubberized mat |
| Display Type | Liquid Crystal Display, 4 digit, 7 segment | |
| LCD Display Dimensions | 2.9 in W x 1.1 in H / 7.5 cm W x 2.7 cm H overall LCD size | |
| LCD Digit Dimensions | 0.9 in H x 0.4 in W / 2.4 cm H x 1.0 cm W per digit | |
| Cable Length (indicator to base) | Coiled: 33.4 in / 84.8 cm | Fully Extended: 117.5 in / 298.5 cm |
| Keypad | LB/KG, TARE/HOLD, ON, OFF | ON/OFF, NET/GROSS, UNIT, TARE |
| Connectivity Port | RS232 serial | |
| Power | 6 AA 1.5V batteries (not included) or UL listed 9V 100mA DC adapter (included) | |
| Tare | 100% of full scale capacity | |
| Zero | Established on power up routine and maintained by auto-zero circuitry | |
| Operating Temperature | 40° F - 105° F (5° C - 40° C) | |
| Operating Humidity | 25% ~ 95% RH | |
| UPC Code | 809161143904 | 809161144000 |
| Net Weight | 10 lb / 4.5 kg | |
| Shipping Weight | 13 lb / 5.9 kg | |

ΠΠ

Detecto Scale reserves the right to improve, enhance, or modify features and specifications without prior notice.

OPTIONAL ACCESSORIES



Wall-Mount Grab Bar Stainless steel wall-mount support handles (ordered 1 bar per model) Model GBSS18-WM



Carrying Case Black carrying case with handle and zipper for DR400C and DR550C Model DR-CASE



SOLD BY:



www.universalmedicalinc.com