

34 INCHES WIDE

# RL-350-6

## DUAL-RAMP PORTABLE BARIATRIC WHEELCHAIR SCALE

Rice Lake's RL-350-6 dual-ramp portable bariatric wheelchair scale allows high-capacity, accurate weighing for patients who are unable to be transported to a scale. Featuring a 34-inch scale base with dual ramp, wheelchairs can easily be wheeled on and off the scale. Convenient keypad tare reduces errors and increases efficiency. For added safety, this scale features an anti-slip rubber surface and raised edges on the weighing platform.

### FEATURES

- Large LCD display
- Antimicrobial keypad
- Integrated handles and wheels for easy transport
- Dual ramp
- Large, stable scale base
- Metal nonslip platform
- Unit of measure toggle or locking
- Motiontrap™ movement compensation technology
- EMR capable
- Serial and USB data communication ports
- Bluetooth® BLE 4.0 available, part number selectable
- Tare function
- Hold function
- BMI (body mass index) function

### SPECIFICATIONS

**Capacity:**

1,000 × 0.2 lb (450 × 0.1 kg)

**Platform Dimensions Without Ramps:**

(L × W × H)  
34.00 × 34.00 × 2.20 in

**Power:**

9 VDC, provided by six AA alkaline batteries (included) or AC adapter (optional)

**Battery Type:**

Six AA alkaline (included)

**Battery Use:**

25 hours of continuous use with batteries  
Automatic power-off can be configured

**Cable Length:**

9 ft (2.7 m) cable between scale base and indicator

**Display:**

5-digit LCD display, 0.75 in (1.9 cm) digit height


**Temperature:**

Operating:  
50 °F to 104 °F (10 °C to 40 °C)

**Warranty:**

Two-year limited





## WHEELCHAIR SCALE

MODEL	CAPACITY	COMMUNICATION	PART #
RL-350-6	1,000 × 0.2lb (450 × 0.1 kg)	USB	150704
RL-350-6BLE	1,000 × 0.2lb (450 × 0.1 kg)	Bluetooth® BLE 4.0	205974

## OPTIONS

DESCRIPTION	PART #
9 VDC adapter, 120 V/230 V auto switching*	133077
9 VDC adapter, 230 V**	102508
Epson TM-U220 tape printer	81076
Cable, RS232 scale to printer, 6 ft, 25-pin D-Sub (male) to RJ45	186830
Cable, USB 6 ft USB-A (male) to USB-B (male)	79074
Cable, Communication DB9 (female) to RJ45 (male), 4 conductor	217091


\*NEMA 1-15 Plug  \*\*CEE 7/16 Plug 

## SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
RL-350-6	150704	43	43	11	162	147	162
RL-350-6BLE	205974	43	43	11	162	147	162

## DIMENSIONS


	INCHES	CENTIMETERS		INCHES	CENTIMETERS
<b>A</b>	41.00	104.1	<b>D</b>	34.00	86.4
<b>B</b>	40.00	101.6	<b>E</b>	34.00	86.4
<b>C</b>	2.20	5.6	<b>F</b>	3.70	9.4



MEDICAL SCALES

# Portable Bariatric/Wheelchair Scale

Dual Ramp



Portable Bariatric/Wheelchair Scale Dual Ramp  
Model RL-350-6

## Part Number/Price


Ref#	Part#	Description	Price
	<b>100719</b>	RS-232 serial cable	Consult
3	<b>105373</b>	Wheel kit (includes wheel, torque nut, screw, scotch mate hoops)	Consult
4	<b>106953</b>	Cable assembly	Consult
5	<b>113030</b>	Ramp	Consult
6	<b>113031</b>	Junction box cover	Consult
7	<b>113033</b>	Handle insert	Consult
8	<b>114614</b>	Foot	Consult
9	<b>14626</b>	Nut, kep 8-32NC hex	Consult
10	<b>14839</b>	Screw, mach 6-32NC x 1/4	Consult
11	<b>14857</b>	Screw, mach 8-32NC x 1/4	Consult
12	<b>14862</b>	Screw, mach 8-32NC x 3/8	Consult
14	<b>58983</b>	Cord grip	Consult
15	<b>84838</b>	Load cell	Consult
16	<b>88958</b>	Junction box board	Consult

(See Diagram Portable Bariatric/Wheelchair Scale Dual Ramp)

Medical Scales

# Portable Bariatric/Wheelchair Scale

Dual Ramp



Portable Bariatric/Wheelchair Scale Dual Ramp

Medical Scales

MEDICAL SCALES

# Medical Indicator, Titanium



## Part Number/Price

Ref#	Part#	Description	Price
	<b>131583</b>	Indicator	Consult
10	<b>164239</b>	Front, 150 indicator kit	Consult
20	<b>164240</b>	Hardware	Consult
30	<b>164241</b>	Circuit	Consult
	<b>204810</b>	Circuit with Bluetooth 2.0	Consult
	<b>204811</b>	Circuit with BLE	Consult
40	<b>164242</b>	Back panel	Consult
50	<b>164243</b>	Table	Consult
60	<b>164247</b>	Back cover	Consult
70	<b>164248</b>	Cover	Consult
	<b>133077</b>	Power supply, A/C adapter	Consult

Medical Scales

