CAPSAHEALTHCARE

TruAir™

TruAir Scope Drying Cabinets

Model Numbers: SAS-18P-DRY, SAS-9P-DRY, SAS-8P-DRY, SAS-4P-DRY

Color: Bright White

Air Supply: Air Pump (Upper Manifold) HEPA Filter Fan (Cabinet)

Air Pressure: 4 psi (Maximum)

Linear Pump Filter Efficiency: 99.97% up to 0.3µm

Electrical Supply: 120 V Wall Plug–3 A
8’ Cord Exiting Top Right of Cabinet

Rated Amperage: 4.1A

Ext. Dimensions: 18-3/4"D X 40-7/8"W X 93-3/4"H (SAS-18P-DRY)
18-3/4"D X 40-7/8"W X 93-3/4"H (SAS-9P-DRY)
18-3/4"D X 21-5/8"W X 93-3/4"H (SAS-8P-DRY)
18-3/4"D X 21-5/8"W X 93-3/4"H (SAS-4P-DRY)

Construction: Powder Coated Metal Locking Hinged Glass Doors

Air Flow Rate Filter Efficiency: 6 L/min per Scope (Minimum)


Noise: 45 dB

Cabinet Filter Efficiency: 99.97% up to 0.3µm

Power Consumption: 128W

Capacity: 18 Flexible Endoscopes

Measurements




POWDER-COATED METAL CABINET
SAS-18P-DRY Capsa METAL SCOPE CABINET
Locking Overlay Hinged Doors with Glass Inserts & Sloped Top, Holds 18 Flexible Endoscopes

CAPSAHEALTHCARE

TruAir™

TruAir Scope Drying Cabinets

Measurements




POWDER-COATED METAL CABINET
SAS-9P-DRY Capsa METAL SCOPE CABINET
Locking Overlay Hinged Doors with Glass Inserts & Sloped Top, Holds 9 Flexible Endoscopes

CAPSAHEALTHCARE

TruAir™

TruAir Scope Drying Cabinets

Measurements




POWDER-COATED METAL CABINET
SAS-8P-DRY Capsa METAL SCOPE CABINET
Locking Overlay Hinged Doors with Glass Inserts & Sloped Top, Holds 8 Flexible Endoscopes

CAPSAHEALTHCARE

TruAir™

TruAir Scope Drying Cabinets

Measurements



POWDER-COATED METAL CABINET
SAS-4P-DRY Capsa METAL SCOPE CABINET
Locking Overlay Hinged Doors with Glass Inserts & Sloped Top, Holds 4 Flexible Endoscopes